



## Grillete recto Crosby Grado 6 con pasador cabeza plana G-210

### Información del producto

**Design:** Screw pin anchor shackles meet the performance requirements of Federal Specification RR-C-271G Type IVA, Grade A, Class 2, except for those provisions required of the contractor.

**Marcado:** According to standard, CE-marked

**Certificación:** EN 13889, US. FED. SPEC. RR-C-271F

**Coefficiente de seguridad:** 6:1

**Grado:** 6

Referencia CYE	Fuerza máxima de utilización WLL ton	Size inch	A mm	B mm	C mm	D	F mm	G	H mm	L	M	P	Peso kg
Y6CGREPUN005	0,5	1/4	12	8	22	6	16	25	40	5	36	6	0,05
Y6CGREPUN007	0,75	5/16	14	10	26	8	19	29	48	6	43	8	0,08
Y6CGREPUN010	1	3/8	17	11	32	10	23	36	59	6	52	10	0,13
Y6CGREPUN015	1,5	7/16	19	13	37	11	27	41	68	8	60	11	0,2
Y6CGREPUN020	2	1/2	21	16	41	13	30	46	77	10	68	13	0,27
Y6CGREPUN032	3,25	5/8	27	19	51	16	38	59	96	11	85	16	0,57
Y6CGREPUN047	4,75	3/4	32	22	60	19	46	70	115	13	101	21	1,03
Y6CGREPUN065	6,5	7/8	37	25	71	22	53	81	135	13	114	25	1,43
Y6CGREPUN085	8,5	1	43	29	81	25	60	94	151	14	130	25	2,15
Y6CGREPUN095	9,5	11/8	46	32	90	29	68	103	172	16	152	32	3,06
Y6CGREPUN120	12	11/4	52	36	100	32	76	115	191	18	165	35	4,11
Y6CGREPUN135	13,5	13/8	57	40	111	35	84	127	210	19	176	38	5,28
Y6CGREPUN170	17	11/2	60	42	124	38	92	137	230	21	189	41	7,23
Y6CGREPUN250	25	13/4	73	52	146	44	106	162	279	25	233	54	12,1
Y6CGREPUN350	35	2	83	58	171	53	127	184	324	29	263	60	19,2
Y6CGREPUN550	55	21/2	105	71	203	67	144	238	377	35	335	67	32,5

# Plano

