



Grillete recto Crosby Grado 6 con pasador cabeza plana G-210

Información del producto

Design: Screw pin anchor shackles meet the performance requirements of Federal Specification RR-C-271G Type IVA, Grade A, Class 2, except for those provisions required of the contractor.

Marcado: According to standard, CE-marked

Certificación: EN 13889, US. FED. SPEC. RR-C-271F

Coefficiente de seguridad: 6:1

Grado: 6

Referencia CYE	Fuerza máxima de utilización WLL ton	Size inch	Peso kg
Y6CGREPUN005	0,5	1/4	0,05
Y6CGREPUN007	0,75	5/16	0,08
Y6CGREPUN010	1	3/8	0,13
Y6CGREPUN015	1,5	7/16	0,2
Y6CGREPUN020	2	1/2	0,27
Y6CGREPUN032	3,25	5/8	0,57
Y6CGREPUN047	4,75	3/4	1,19
Y6CGREPUN065	6,5	7/8	1,43
Y6CGREPUN085	8,5	1	2,15
Y6CGREPUN095	9,5	11/8	3,06
Y6CGREPUN120	12	11/4	4,11
Y6CGREPUN135	13,5	13/8	5,28
Y6CGREPUN170	17	11/2	7,23
Y6CGREPUN250	25	13/4	12,13
Y6CGREPUN350	35	2	19,19
Y6CGREPUN550	55	21/2	32,55

Plano

